

PTO/SB/07 (08-00)

Approved for use through 10/31/2002. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

RECEIVED
CENTRAL FAX CENTER

DEC 08 2005

Certificate of Transmission under 37 CFR 1.8

FAX - 571-273-8300

I hereby certify that this correspondence is being facsimile transmitted to the
United States Patent and Trademark Officeon 12-8-05
Date
Signature

RICHARD F. STOCKEL

Typed or printed name of person signing Certificate

Note: Each paper must have its own certificate of transmission, or this certificate must identify
each submitted paper.

- CERTIFICATE OF TRANSMISSION
FORM (1 PAGE)
- LETTER TO USPTO (1 PAGE)
- AMENDMENT TO CLAIMS (1 PAGE)

TOTAL PAGES (3 PAGES)

PLEASE DISREGARD FAX SENT AT 10:36AM
ON 12-08-05. THE AMENDMENTS TO THE
CLAIMS IS IMPROPER. THIS FAX SHOULD BE
SUBSTITUTED FOR THE EARLIER FAX,Burden Hour Statement: This form is estimated to take 0.03 hours to complete. Time will vary depending upon the needs of the individual case.
Any comments on the amount of time required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark

From the Desk of

RECEIVED
CENTRAL FAX CENTER
DEC 08 2005

Dr. Richard F. Stockel

475 Rolling Hills Road, Bridgewater, New Jersey 08807 USA
Phone: 908-541-0201 Fax: 908-541-0231 E-Mail: richardstockel@msn.com

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Richard F. Stockel and Michael C. Walsh
Serial No: 10/813,462
Filed: March 30, 2004
Examiner: C. Melissa Koslow
Art Unit: 1755
For: Fountain Solutions Containing Anti-piling Macromolecules

Commissioner for Patents
P.O.Box 1450
Alexandria, VA 22313-1450

Dear Madam:

In our correspondence of 12/5/05 (priority mail) the pH range of Claim 246 (new) was incorrectly typed. We are now amending this claim with the corrected pH range of about 3.2 to about 5.5.